NIPROS 2014 Product

Systec International Inc.
Osaka, Japan

NIPROS 2014

Multi-core Analog : DS Series

New
WAKE-1

UPS-10

FR-P1

FR-S10

New

AS-1

VHD-5500

RM-P250

RM-C1 New

RM-S1

VHD-2200

Multi-core SDI : ES Series

DS-850

DS-550

DS-450

ES-600

ES-500

ES-300

DS-270

VHD-2200

RCS-XF305

New

RCS-XA25

RCS-P160

New
RCS-P90

RCS-S160

New
RCS-Z100

RCS-S200

RCS-700

RCS-S300

New

New
FD-IF4A

New
FD-900S

New
TU-10A

New
DL-550

DL-500

DL-400

FD-400A

PXW-Z100

4K+X, 2K/3D : LS Series

LS-750/850/GT

New

LS-700/800

Optical Fiber 1K : PS Series

PS-570RHD

New

PS-470RHD

New

PS-270RHD

New

HDS-300

Built-up Unit

HD VF & Monitors

LVM-89W

3DM-7000

New
HDF-HR500/500/SK

HDM-900WD

HDF-700/700SK

HDM-2000

HDM-1800W

HDM-3000

HDM-70SP

HDM-4000

HDM-2400W

Pro Controllers & Accessorie

F-1

FS-205

FS-302P

FS-40X

FS-805

ST-7S300

New

ST-7S300 + PMW-300

ST-7J

PXW-Z100

PMW-200

GY-HM600

New

DC-S300

AG-AC160

Rain Jacket

New

Intercom Systems

Shoulder adapters

Prompter , Switcher, Audio Mixers

VSE-500HDE

New

New
HDP-2000

HDM-3200W

Category : HDS-300 Studio Built-up unit

Model No.

HDS-300

Description : Built-up Unit

PMW-300 + HDS-300 System



Variation

PDW-680

PMW-TD300

AG-HPX255

GY-HM600

NES-FS700

XF305

Accessories

700SK-KIT

500SK-KIT

HFC-800

HFC-500

ASFR-1S

ASFR-1P300

BDC-75

VC-450

ASC-AS1P

ASC-FR1P

RCC-450S/P

ASC-1B

TC-550

FC-12P

ST-1

ST-2

VST-14

HS-RA90

DC-S300

DC-EX3

DC-Z7J

DC-XH1

DC-P175

DC-P155

DC-JVC1

UH-35

QM-1

QM-2

QM-3

ESC-10/25/50

ALC-25M/50M/100M

SK-910

VIF-910

Category : Shoulder Adapters.

Picture	Model No.	Description
	ST-7S300	Shoulder adapter for PMW-300.
	ST-7J	Shoulder adapter

PMW-200

AG-HPX250, AD-AC160 etc.

ST-7

PXW-Z100

GY-HM600/650

PMW-EX3

Accessories

700SK-KIT

500SK-KIT

HFC-800

HFC-500

ASFR-1S

RCC-450S/P

CAN-50

ESC-10/25/50

ALC-25M/50M/100M

VST-14

DL-400

DL-500

DL-550

DC-S300

DC-EX3

DC-Z7J

DC-XH1

DC-P175

DC-P155

DC-JVC1

UH-35

STF-7

Category : Professional Zoom & Focus Controllers

Model No. : AS-1 & AS-1P

Description : Zoom demand

AS-1 : for SONY LANC, Panasonic, Fuji & Canon.

AS-1P : for Pana, Fuji & Canon.





Model No. : FR-S10

Description : Focus demand

Must use SONY CBK-DCB01

For SONY *1st.qtr.2014.*

Model No. : FR-P1

Description : Focus/Iris Controller

For Panasonic

Model No. : RM-S1

Description : Zoom/Focus/Iris controller

SONY LANC Pro Camcorders

Model No. : RM-C1

Description : Zoom/Focus/Iris controller

1st.qtr.2014.

Canon C300/C500 LANC

Model No. : RM-P250

Description : Zoom/Focus/Iris controller

Panasonic Pro Handy Camcorders

Model No. : HS-REM1

Description : 19” Rack mount Frame

For RM-S1, RM-C1 & RM-P250

Max. x5 controllers.

Model No. : STF-10

Description : Mount grip

For RM-S1, RM-C1 & RM-P250

Model No. : FC-12P

Description : 8pin/12p IF cable

For Fujinon Analog control Lens

Category : DC Splitter & adapters

Model No. : WAKE-1

Description : DC Splitter

Nick Name : Wake Wake Kun

8.4VDC Out x3

D-Tap Out x1

USB Out x4

4pin DC12V Out x2

V-Mount Battery

DC-NEX3L : 1.8m
PMW-200 etc.

DC-NZ7JL : 1.8m
PMW-EX1R etc

DC-NP175L : 1.8m
AG-HPX250 etc

DC-NP155L : 1.8m
AG-AC160 etc

1st.qtr.2014.

Model No. : UPS-10

Description : V-mount UPS

8.4VDC Out x1

D-Tap Out x1

4pin DC12V Out x1

4pin DC12V In x1

V-Mount Battery

Model No.: AC PROPACK100S

Description : AC adapter

Japan AC Plug only.



4pin DC12V Out x2

Multi AC voltage

Model No.: AC M-20

Description : AC adapter

Japan AC Plug only.

Multi AC voltage

Category : 5” FULL HD VF Series

HDF-HR500 : 5” FULL HD View Finder.

3G/HD SD-SDI	HDMI	HD Component	VBS	SDI Return	24P Input
Measu rement	Multi View	SDI Error	Zebra	Marker	Clear peaking
Embed. Audio out	16ch. Audio meter	TC/CNT display	P in P	B/W RGB	Return Remote SW
FULL HD	Large TALLY	R/G TALLY	Low Reflection	Battery V-mount	



HDF-HR500SK :
5” FULL HD View Finder
with Studio KIT.

1st.qtr.2014.

Accessories

SK-500 : Studio KIT

HFC-500 : Long Hood

HS-RA550 : Rack Frame

VFC-700S : VF cable (SONY)

VFC-700P : VF cable (Pana)

VFC-700i : VF cable (Ikegami)

STF-100 : Swing Arm

Category : 5” HD VF Series

HDF-500 : 5” HD View Finder.

3G/HD SD-SDI	HDMI	HD Component	VBS	SDI Return	24P Input
Measu rement	Multi View	SDI Error	Zebra	Marker	Clear peaking
Embed. Audio out	16ch. Audio meter	TC/CNT display	P in P	B/W RGB	Return Remote SW
FULL HD	Large TALLY	R/G TALLY	Low Reflection	Battery V-mount	



HDF-500SK :
5” HD View Finder
with Studio KIT.

1st.qtr.2014.

Accessories

SK-500 : Studio KIT

HFC-500 : Long Hood

HS-RA550 : Rack Frame

VFC-700S : VF cable (SONY)

VFC-700P : VF cable (Pana)

VFC-700i : VF cable (Ikegami)

STF-100 : Swing Arm

Category : 7” HD VF Series

HDF-700 : 7” HD View Finder.

HD/SD -SDI	HDMI	HD Component	VBS	SDI Return	24P Input
Measu rement	Multi View	SDI Error	Zebra	Marker	Clear peaking
Embed. Audio out	16ch. Audio meter	TC display	P in P	B/W RGB	Return Remote SW
FULL HD	Large TALLY	R/G TALLY	Low Reflection	Battery V-mount	

HDF-700SK :
7” HD View Finder
with Studio KIT.



HDF-700V : 7” HD View Finder with V-mount.



Accessories

SK-700 : Studio KIT

HFC-800 : Long Hood

HS-RA700 : Rack Frame

HFC-700 : Hood

SC-7 : Soft case

SC-700 : Hard case

AR-70 : Return SW

VFC-700S/P/i : VF cable

STF-100 : Swing Arm

QM-1 : Quick mount set

QM-1 : Quick mount : QM-3

Category : 19” Rack mountable HD Monitors

19” Rack Mountable HD Monitors

Model No. : HDM-2000

7” HD Dual Monitor

Service RJ45

DC 12V HD/SD-SDI IN x2 HD/SD-SDI OUT x1

Model No. : HDM-3000

5” HD Triple Monitor

Service RJ45



DC 12V HD/SD-SDI IN x2 HD/SD-SDI OUT x1

Model No. : HDM-4000

4.3” HD Triple Monitor

Service RJ45



DC 12V HD/SD-SDI IN x1 HD/SD-SDI OUT x1

Model No. : HDM-70SP

7” HD Monitor with Stereo Speaker

7” HD Monitor

Speaker

Model No. : HDM-1800W

18” LCD Monitor.

Model No. : SC-1700

Hard Carrying case with Hood
for HDM-1800W..

Desk Top HD Monitors

Model No. : HDM-2400W

Model No. : HDM-3200W

Category : Professional HD Monitors

HDM-2000 7” HD Dual Monitor	Rack Mount	Measurement	HD/SD SDI	Stereo Speaker	HD Comp. (option)	16ch. Audio	RGB only	TC Display	Head P. Jack	24P Input	Zebra	Safety Marker	12VDC AC adapt.
HDM-3000 5” HD Triple Monitor IPS display	Rack Mount	Measurement	HD/SD SDI	Stereo Speaker	HD Comp. (option)	16ch. Audio	RGB only	TC Display	Head P. Jack	24P Input	Zebra	Safety Marker	12VDC AC adapt.
HDM-4000 4.3” HD Quod Monitor	Rack Mount	Measurement	HD/SD SDI	Stereo Speaker	HD Comp. (option)	16ch. Audio	RGB only	TC Display	Head P. Jack	24P Input	Zebra	Safety Marker	12VDC AC adapt.
HDM-70SP 7” HD Monitor w/Speaker	Rack Mount	Measurement	HD/SD SDI	Stereo Speaker	HD Comp. (option)	16ch. Audio	RGB only	TC Display	Head P. Jack	24P Input	Zebra	Safety Marker	12VDC AC adapt.
HDM-1800W 18” HD Monitor	Rack Mount	Measurement	3G/HD/ SD-SDI	Stereo Speaker	HD Comp.	16ch. Audio	RGB only	TC Display	Head P. Jack	24P Input	Zebra	Safety Marker	24VDC AC
HDM-2400W 24” FULL HD Monitor 10 Bit IPS display	Rack Mount	Measurement	3G/HD/ SD-SDI	Stereo Speaker	HD Comp.	16ch. Audio	RGB only	TC Display	Head P. Jack	24P Input	Zebra	Safety Marker	24VDC AC
HDM-3400W 32” FULL HD Monitor 10 Bit IPS display	Rack Mount	Measurement	3G/HD/ SD-SDI	Stereo Speaker	HD Comp.	16ch. Audio	RGB only	TC Display	Head P. Jack	24P Input	Zebra	Safety Marker	24VDC AC

Category : Professional HD Monitors

		HDM-2000	HDM-3000	HDM-4000	HDM-70SP	HDM-1800W	HDM-2400W	HDM-3400W
Display								
LCD Panel		TFT-LCD	TFT-LCD (IPS)	TFT-LCD	TFT-LCD	TFT-LCD	TFT-LCD	TFT-LCD
Size		7.0" x2	5.0" x3	4.3" x4	7.0"	18.5"	24.1"	31.55"
Aspect Ratio		16 : 9 (16:10)	16 : 9 (16:10)	16 : 9 (16:10)	16 : 9 (16:10)	16 : 9	16 : 9	16 : 9
Resolution		800 x 480	800 x 480	800 x 480	800 x 480	1366 x 768 WXGA	1900 x 1200 WUXGA	1900 x 1080 WUXGA
Viewing Angle		130(H), 110(V)	190(H), 190(V)	90(H), 130(V)	130(H), 110(V)	130(H), 110(V)	170(H), 170(V)	170(H), 170(V)
Color		16.7M (8 bit)	16.7M (8 bit)	16.7M (8 bit)	16.7M (8 bit)	16.7M (8 bit)	1.07 B (10 bit)	1.07 B (10 bit)
Input / Output								
SDI IN		BNC x2	BNC x2	BNC x1	BNC x2	BNC x2	BNC x2	BNC x2
SDI OUT		BNC x1 Loop	BNC x1 Loop	BNC x1 Loop	BNC x1 Loop	BNC x1 Loop	BNC x1 Loop	BNC x1 Loop
Analog Input		Component (option)	Component (option)	Component (option)	Component (option)	VBS/Y/C/Comp.RGB	VBS/Y/C/Comp.RGB	VBS/Y/C/Comp.RGB
DVI IN		option	option	option	option	DVI-I x1 Digi/Ana	DVI-I x1 Digi/Ana	DVI-I x1 Digi/Ana
Audio IN		none	none	none	none	3.5φ X1 (Back)	3.5φ X1 (Back)	3.5φ X1 (Back)
Audio OUT		3.5φ X2 (F/B)	3.5φ X2 (F/B)	3.5φ X2 (F/B)	3.5φ , 6.5φ, XLR X2	3.5φ X2 (F/B)	3.5φ X2 (F/B)	3.5φ X2 (F/B)
Speaker		none	none	none	3W x 3W	3W x 3W	3W x 3W	3W x 3W
General								
Power		12VDC 4pin XLR	12VDC 4pin XLR	12VDC 4pin XLR	12VDC 4pin XLR	100~240V, 24VDC	100~240V, 24VDC	100~240V, 24VDC
Power Consumption		24W	36W	48W	14W	40W	90W	118W
Weight		2.7 kg	2.7 kg	2.74kg	2.7 kg	5.0kg	11 kg	15 kg
Dimensions (WxHxD)		480 x132x60	480 x132x60	480 x132x60	480 x 132x60	442x307x80	602x405x100.6	770x500x107
Video Format : Full Automatic Detection								
HD	SDI	1080p/30/25/24	1080p/30/25/24	1080p/30/25/24	1080p/30/25/24	1080p/30/25/24	1080p/30/25/24	1080p/30/25/24
HD	SDI/Component	1080i/60/50/48(PsF)	1080i/60/50/48(PsF)	1080i/60/50/48(PsF)	1080i/60/50/48(PsF)	1080i/60/50/48(PsF)	1080i/60/50/48(PsF)	1080i/60/50/48(PsF)
HD	SDI	720p/60/50/30/25/24	720p/60/50/30/25/24	720p/60/50/30/25/24	720p/60/50/30/25/24	720p/60/50/30/25/24	720p/60/50/30/25/24	720p/60/50/30/25/24
ED	Component	480p/60, 575p/50	480p/60, 575p/50	480p/60, 575p/50	480p/60, 575p/50	480p/60, 575p/50	480p/60, 575p/50	480p/60, 575p/50
SD	SDI/Component	480i/60, 575i/50	480i/60, 575i/50	480i/60, 575i/50	480i/60, 575i/50	480i/60, 575i/50	480i/60, 575i/50	480i/60, 575i/50
RGB		VGA,SVGA,XGA, SXGA,UXGA	VGA,SVGA,XGA, SXGA,UXGA	VGA,SVGA,XGA, SXGA,UXGA	VGA,SVGA,XGA, SXGA,UXGA	VGA,SVGA,XGA, SXGA,UXGA	VGA,SVGA,XGA, SXGA,UXGA,WUXGA	VGA,SVGA,XGA, SXGA,

Category : HD Monitors

Model No.: HDM-900WD

Description : 9” HD Monitor

1.Built-in Cross-Media Converter.
2.3G/HD/SD-SDI & Analog Component.
3.HDMI IN & OUT.
4.Measurement functions.
5.Tally display.
6.Handle & Stand





Model No.: 3DM-7000

Description : 7” HD 3D/2D Monitor

1.2D/3D Monitor without Glass.
2.3G/HD/SD-SDI
3.Tally display.
4.Measurement functions.



Model No.: LVM-43W

Description : 4.3” LCD VF

1.4.3” 16:9 LCD View Finder.
2.VBS & VF I/F only.
3.Tally display.
4.Compact & Light weight.





Model No.: LVM-89W

Description : 8.9” HDMI LCD VF

1.8.9” 16:9 LCD View Finder.
2.HDMI, Component &VBS & VF I/F
3.Tally display.
4.Compact & Light weight.





BAT-89W

PBU-L89W

AC-20M

UH-35

Category : Intercom system

Model No. : FD-400A

Description : Intercom System



TU-10A : Tally unit

Product Line up.

Belt pack

FD-400A

FD-400A/D

FD-400A/S

Head set

DL-500

DL-550

DL-400

Model No. : FD-IF4A

Description : Intercom IF unit

Clear Com Belt pack IF unit for FD-400A

1st.qtr. 2014.

Category : Intercom system

Model No. : FD-900S	Description : Intercom Main Station





Category : Prompter

Picture	Model No.	Description	Accessories
	HDP-2000	20” Portable Prompter	ASC-10 DC-C40M3 HDP-RM1A HDP-DC1 SC-2000 ST-1 VST-14

Adjustable angle.

1. Large 20” display.
2. Compact, Light weight & Low Power consumption
3. Simple set up.
4. HD-SDI, HDMI & VBS Input.
5. 500cd/m High contrast & Vision Proof Glass.



Category : Live Switcher

Model No. : HDS-500HDE

Description : HD Super Live Switcher



Simple 13 patters



1. Simple
2. Compact
3. Quiet



Accessories

SC-550 : Hard Case

HS-RA500 : 19” Rack mount KIT

AR-53 : Auto Take SW

TU-600 : Tally adapter RJ45 for HDM-2000/3000/4000 Tally display.

Category : HD/SD-SDI Re-Clocker & DA's

VHD-2200 : SDI Re-Clocker



HD/SD-SDI D.A



Before After

VHD-200 : 1 IN 2 Out



VHD-400 : 1 IN 4 Out

VHD-5000 : 1 IN 4 Out, 4 group



Category : Rain Jacket RCS series

SONY

Shoulder type

RCS-700

Full Arm cover

Easy Battery Replacement

Eye cap cover

Clear LCD cover

RCS-Z100 : PXW-Z100

RCS-S300 : PMW-300
even with ST-7S300
shoulder adapter

RCS-200 : PMW-200

RCS-S160 : PMW-160

RCS-S100 : PMW-100

RCS-EX1/1R : PMW-EX1R

RCS-EX3 : PMW-EX3

RCS-Z5J/NX5 :
HVR-Z5J/HXR-NX5J

RCS-Z7J : HVR-Z7J

RCS-Z1J : HVR-Z1J
etc.

RCS-V1J : HVR-V1J

RCS-A1 : HVR-A1J

RCS-150 :
DSR-PD150/170

RCS-5K : DEV-5K/3

Panasonic

RCS-P160 :
AG-HPX250/AC160
etc.

RCS-P90 : AG-AC90

RCS-100 :
AG-HPX175
HMC155 etc.

SC-P160 :
AG-HPX250/255
AG-AC160/130
etc.

Canon

RCS-XF305 :
XF305 etc.

RCS-XA25 :
XA25.

Category : LED Light & mount adapters ;

Model No. : UC-600A & UC-600i	Model No. : ST-1 & VST-14
Description : Twin LED Light	Description : Quick plate

7W Power consumption & 280grm.





Included 2 types of Lens 70° & 90°

Standard 70° Lens

Wide 90° Lens

ST-1

VST-14

For any Handy type Camcorders to mount on Quick Tripod Plate.

VST-14 is compatible with SONY VCT-14/U14 and Panasonic SHAN-TM700.

Category : Audio Embedder

F-1 : 4ch. Audio Embedder



4 units cascade connection. Max. 16ch.

Category : Noise Eater & Line Selector

NC-400 : Noise Eater



MC-200 : I/F cable for AG-HMR10

HS-850 : Signal Selector

8 IN 1 OUT Select ;
1.DC12V operation.
2.HD/SD-SDI, VBS ready.
3.Compact Half rack mount size.

1~8 Select bottom

HS-RA90 : 19” Rack mount frame



Category : Professional Audio Mixer

FS-302P : The Press : 3ch. Press Mixer

- **3ch** input
- **Hyper Limiter**
- **Master** Limiter
- Output Trans
- **VU/PK** Meter
- **Stereo**
- Input Trans
- **PEAK** Indicator
- RCA Out
- Low Cut Filter
- **1kHz** Oscillator
- P48 AB12
- Output Select SW
- Output Level SW
- Position LED
- 6.3φ Head set
- 3.5φ Head set
- **Pop Up Master VR**
- **Variable Trim**
- **AA battery** x8
- **NP battery**
- **Battery check**
- **DC12V 4pin XLR**

FS-40X : 4ch. Field production Mixer

- **4ch** input
- **Hyper Limiter**
- **Master** Limiter
- **Parametric EQ.**
- Mono. Direct Out
- **MS** Decoder
- **Meter** Bridge
- **VU/PK** Meter
- **Stereo**
- Input Trans
- **PEAK** Indicator
- RCA Out
- Low Cut Filter
- Pre. Fader Listen
- **1kHz** Oscillator
- P48 AB12
- Output Select SW
- Output Level SW
- Position LED
- 6.3φ Head set
- 3.5φ Head set
- **Pop Up Master VR**
- **Variable Trim**
- **AA battery** x8
- **NP battery**
- **Battery check**
- **DC12V 4pin XLR**

MB-40X : 4ch. Meter (option)

Category : Professional Audio Mixer

FS-805 : 8ch. Press Mixer : 19” Rack Mountable





- 8ch input
- Hyper Limiter
- Parametric EQ
- Pre. Fader Listen
- Output Trans
- Master Limiter
- VU/PK Meter
- Stereo
- Input Trans
- PEAK Indicator
- Low Cut Filter
- 1kHz Oscillator
- P48 AB12
- Variable Pan Pot
- Position LED
- 6.3φ Head set
- Pop Up Master VR
- Variable Trim
- DC12V 4pin XLR
- Inter com
- EIA 19” Rack

FS-205 : Hyper Limiter : Basic 2ch. Mixer







BAT-205

PBU-L205

MA-20/200

BLT-205

Category : 4K+X LS series ;

LS-750 : 4K +X Camera adapter : Standard Power version : 60W.





LS-850 : 4K +X Base Station : Standard Power version : 60W.





Accessories

TU-750C

TU-850B

OPU-300

HDS-300S

HR500SK-KIT

700SK-KIT

DC-C500

DL-500

DL-550

LS4K-CABLESET

RCC-450S/P/i

ALC-20M 50M/100M

HS-RA95

ST-1

ST-2

VST-14

HFC-500

HFC-700

HS-850

High Power Version : ***Tentative***

LS-750GT : 4K + X Camera adapter : 300W

LS-850GT : 4K + X Base Station : 450W

Additional functions vs. LS-750

1. 24V out x1 (XLR 2pin)
2. 15V out x2 (XLR 4pin)
3. Clear Com Belt pack I/F x1 (XLR 3pin)

1st.qtr. 2014.

Category : 4K LS series ;

LS-700 : 2K/3D/4K Camera adapter





LS-800 : 2K/3D/4K : Base station





Accessories

HDS-300S

HR500SK-KIT

700SK-KIT

DC-C500

DL-500

DL-550

VST-14

RCC-450S/P/i

ALC-20M 50M/100M

HS-RA95

ST-1

ST-2

HFC-500

HFC-700

Category : Optical Fiber PS series ;

PS-270RHD : Camera adapter



< Front View >



< Back View >



< Right View >



< Left View >

PS-470RHD : Camera adapter



PS-570RHD : Base station





Accessories

700SK-KIT

500SK-KIT

HR500SK-KIT

ASFR-1S

ASFR-1P

DC-S300

DC-EX3

DC-P175

DC-JVC1

DC-XH1

DC-C40M3

ALC-20M

ALC-50M

ALC-100M

DL-400

DL-500

DL-550

RCC-450S/P

VC-450

TC-550

VCT-14

HS-RA90

ASC-1

ASC-1B

HFC-500

HFC-800

VIF-100

VIF-100P

VIF-100BC

Category : Multi-Core SDI : ES series ;

ES-300 : Camera adapter





ES-500 : Camera adapter





ES-600 : Base station





Accessories

VF89KIT

700SK-KIT

ASFR-1S

ASFR-1P

DC-S300

DC-EX3

DC-P175

DC-JVC1

DC-XH1

DC-C40M3

ESC-10

ESC-25

ESC-50

VCT-14

RCC-450S/P

VC-450

TC-550

HS-RA90

DL-400

DL-500

DL-550

Category : Multi-Core Analog : DS series ;

DS-270



DS-450



DS-550



DS-850



Accessories

VF89KIT

700SK-KIT

ASFR-1S

ASFR-1P

RMS1 KIT

RMP250-KIT

DC-S300

DC-EX3

DC-P175

DC-JVC1

DC-XH1

DC-C40M3

ESC-10

ESC-25

ESC-50

VCT-14

FL-301

RCC-450S/P

TC-550

VC-450

HS-RA90

FD-800S